



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/634,597

08/04/2003

Uri Cummings

FULCP009

6534

22434

7590

11/28/2005

BEYER WEAVER & THOMAS LLP

P.O. BOX 70250

OAKLAND, CA 94612-0250

EXAMINER

TRAN, KHANH C

ART UNIT

PAPER NUMBER

2631

DATE MAILED: 11/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/634,597	Applicant(s) CUMMINGS ET AL.	
	Examiner Khanh Tran	Art Unit 2631	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 September 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-37 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,11-13,15,18,19,24 and 31-37 is/are rejected.
- 7) ☒ Claim(s) 2-10,14,16,17,20-23 and 25-30 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 04 August 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. The Amendment filed on 09/20/2005 has been entered. Claims 1-37 are pending in this Office action.

Response to Arguments

2. Applicant's arguments with respect to claims 1, 11-13, 15, 18-19, 24 and 31-37 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 11-13, 15 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Benayoun et al. U.S. Patent Application Publication No. US 2002/0021694 A1.

Regarding claim 1, Benayoun et al. invention is directed to the transmission of data between local area networks (LANs) and in particular to a system for transmitting data between LANs through an asynchronous transfer mode (ATM) crossbar switch.

Figure 1 illustrates block diagram of an exemplary data transmission system including four local area networks (LANs) coupled by a hub. In paragraph [0015], multiple local area networks (LAN) 10, 12, 14 and 16 are coupled by a hub 15, which includes an asynchronous transfer mode (ATM) crossbar switch 18 and multiple LAN adapters 20, 22, 24 and 26. The local area networks (LAN) 10, 12, 14 and 16 correspond to the claimed plurality of synchronous modules. Each LAN has an associated clock domain, and data rate.

In paragraph [0016] and [0017], FIG. 2 illustrates an ATM crossbar switch 18 that includes a data switch module 30, a scheduler 32, multiple LAN adapter connectors 34 and 36 coupling multiple LANs to ATM crossbar switch 18, and a clock generator 38 for supplying the clock and the synchronization to data switch module 30, scheduler 32 and to LAN adapter connectors 34 and 36. In paragraph [0018], scheduler 32 also includes an algorithm unit 46, which determines the best data connection to establish each time a request is issued by a requesting LAN. Such a determination is based on the selection of the request amongst all requests received from the requesting LAN adapters that meets some predetermined criteria such as a priority order.

Benayoun et al. does not expressly teach a plurality of clock converters as set forth in the claimed invention.

However, referring to figure 4, see also paragraph [0008], Benayoun et al. teaches the requesting LAN adapter coupled to the LAN to transmit LAN data frame includes a serial communication controller (SCC) that further includes a means for converting the LAN data frame into serial data implemented as concatenated slots of

Art Unit: 2631

the ATM cell size in the high-level data link control (HDLC) format before transmitting the serial data to the ATM crossbar switch. Because the LAN adapter converts the LAN data frame into serial data implemented as concatenated slots of the ATM cell size in the high-level data link control (HDLC) format before transmitting the serial data to the ATM crossbar switch, one of ordinary skill in the would have recognized the interchangeability of the LAN adapters taught in Benayoun et al. invention for the clock domain converters specified in the claim.

Regarding claim 11, as recited in claim 1, In paragraph [0018], scheduler 32 also includes an algorithm unit 46, which determines the best data connection to establish each time a request is issued by a requesting LAN. Such a determination is based on the selection of the request amongst all requests received from the requesting LAN adapters that meets some predetermined criteria such as a priority order.

Regarding claim 12, in paragraph [0016], an ATM crossbar switch 18 that includes a clock generator 38 for supplying the clock and the synchronization to data switch module 30, scheduler 32. In view of that, the ATM crossbar switch 18 operates on one timing assumption.

Regarding claim 13, the clock generator 38 generates clock pulses; therefore, the timing assumption is based on pulse timing assumption.

Regarding claim 15, because crossbar switch 18 operates in asynchronous transfer mode, the asynchronous handshake protocol is delay-insensitive.

Regarding claim 18, as recited in claim 1, scheduler 32 also includes an algorithm unit 46, which determines the best data connection to establish each time a request is issued by a requesting LAN. Such a determination is based on the selection of the request amongst all requests received from the requesting LAN adapters that meets some predetermined criteria such as a priority order. Hence, the requests include requests to the same destination.

4. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Benayoun et al. U.S. Patent Application Publication No. US 2002/0021694 A1 as applied to claim 18 and further in view of admitted prior art in the original disclosure.

Regarding claim 19, Benayoun et al. teaches a scheduler 32 for determining the best data connection to establish each time a request is issued by a requesting LAN. In view of that, the scheduler 32 corresponds to the claimed arbitration circuitry. Benayoun et al., however, does not teach scheduler 32 comprising at least one Seitz arbiter. Admitted prior art in the original disclosure discloses implementations of Seitz arbiter and QFR circuits in C. L. Seitz, System Timing, chapter 7, pp. 218-262, Reading, Mass., Addison-Wesley, 1980, and F. U. Rosemberger, C. E. Molnar, T. J. Chaney, and T. P. Fang, Q-modules: Internally clocked delay-insensitive modules, IEEE Trans., Computers, vol. 37, no.9, pp. 1005-1018, September 1988, respectively; see column

54, line 23 via column 55, line 5, of the original disclosure. Because of known potential benefits of Seitz arbiter, one of ordinary skill in the art would have been motivated to implement Seitz arbiter, as taught by admitted prior art, into crossbar switch as taught by Benayoun et al.. Furthermore, implementation of new intended use (e.g. Seitz arbiter) for an old product does not make a claim to that old product patentable. In re Schreiber, 44 USPQ2d (Fed. Cir. 1997).

5. Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over Benayoun et al. U.S. Patent Application Publication No. US 2002/0021694 A1 as applied to claim 1 above, and further in view of Chou et al. U.S. Patent 6,763,418.

Regarding claim 24, Benayoun et al. does not teach a build-in-self-test (BIST) module as set forth in the claim. Chou et al. discloses in figures 2A and 2B a data path 20 includes crossbar 22 to which eight communication ports 24 are coupled. Figure 2A shows an arbiter 36. In addition of eight communication ports 24, a management port 26 and a functional BIST port 28 are also coupled to crossbar 22; see figure 2B. Benayoun et al. and Chou et al. teachings are in the same field of endeavor. Chou et al. invention differs from Benayoun et al. invention in that Chou et al. teachings include a functional BIST port. In light of Chou et al. teachings, it would have been obvious for one of ordinary skill in the art at the time the invention was made that Wicki et al. crossbar switch can be modified to include a BIST as taught by Chou et al.. Motivation is that the BIST can be used for testing data transmission between the interfaces through crossbar switch.

6. Claim 31 is rejected under 35 U.S.C. 103(a) as being unpatentable over Benayoun et al. U.S. Patent Application Publication No. US 2002/0021694 A1 as applied to claim 1 above, and further in view of Barber et al. U.S. Patent 4,849,751.

Regarding claim 31, Benayoun et al. does not teach the crossbar switch is implemented on a CMOS integrated circuit as set forth in the application claim. Barber et al., nevertheless, teaches a CMOS integrated circuit digital crossbar switching arrangement shown in figure 5 of another US Patent. CMOS technology is mature and well known in the art. Because of the potential known benefits of CMOS technology, one of ordinary skill in the art at the time the invention was made would have been motivated to implement Benayoun et al. ATM crossbar switch including crossbar unit on a CMOS integrated circuit as taught in Barber et al. invention.

7. Claims 32-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Benayoun et al. U.S. Patent Application Publication No. US 2002/0021694 A1 as applied to claim 1 above, and further in view of Butts et al. U.S. Patent 6,002,861.

Regarding claim 32, Benayoun et al. does not teach a computer-readable medium having data structures stored representative of the computer-bus switch architecture. However, as well known in the art of digital logic network design, one performs simulation of functional circuit design before actually building the digital logic network permanently. Butts et al. discusses such simulation in another US patent, wherein a method is disclosed for performing simulation of functional circuit design using a hardware and software emulation system. As disclosed in the abstract, Butts et

Art Unit: 2631

al. teachings utilize a plurality of electronically reconfigurable gate array logic chips interconnected via a reconfigurable interconnect, which comprises a partial crossbar. The reconfigurable interconnect permits the digital network realized on the interconnected chips to be changed at will. Since Butts et al. teachings are in the same field of endeavor, and utilizes same components (e.g. logic chips, reconfigurable crossbar, ...) to simulate a digital network in the design, one of ordinary skill in the art would have been motivated to implement computer instructions stored a computer readable medium as data structures to simulate Benayoun et al. teachings, as part of the preliminary design before actual implementation.

Regarding claim 33, said claim is rejected on the same ground as for claim 32 because the claimed simulatable representation is discussed in claim 32.

Regarding claim 34, figure 43 in Butts et al. invention illustrates a block diagram of a Realizer design conversion system including netlists for logic chips. The Realizer design conversion system is part of hardware and software emulation system taught in Butts et al. invention.

Regarding claim 35, as recited in claim 32, Butts et al. discloses a method for performing simulation of a digital logic network as part of design using a hardware and software emulation system. In view of that, one of ordinary skill in the art would have recognized that the data structures as part of the hardware and software emulation

Art Unit: 2631

system can be implemented to include code description representative of Benayoun et al. teachings.

Regarding claim 36, using analogous argument as for claim 35, the code description would correspond to a hardware description language as part of the hardware and software emulation system.

Regarding claim 37, as discussed in claim 32, since Butts et al. teachings utilize a plurality of electronically reconfigurable gate array logic chips interconnected via a reconfigurable crossbar, corresponding to the claimed set of semiconductor processing masks, it would have been obvious for one of ordinary skill in the art that the logic chips and reconfigurable crossbar as taught by Butts et al. can be implemented to represent at least a portion of Benayoun et al. teachings.

Allowable Subject Matter

8. Claims 2-10, 14, 16-17, 20-23, 25-30 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Ofek U.S. Patent 6,377,579 B1 discloses "Interconnecting A Synchronous Switching Network That Utilizes A Common Time Reference With An Asynchronous Switching Network".

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khanh Tran whose telephone number is 571-272-3007. The examiner can normally be reached on Monday - Friday from 08:00 AM - 05:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mohammad Ghayour can be reached on 571-272-3021. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 2631

KCT

Khanh Cong Tran

11/25/2005

Examiner KHANH TRAN